Neuroscience Letters, 192 (1995) 218–220
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abe, K., see Ikegaya, Y., 193
Abe, T., see Tojo, H., 169
Abe, T.,. see Tohgi, H., 165
Aceves, J., see Flores,G., 17
Aihara, N., see Westmark, R., 173
Akiyama, H., see Odawara, T., 145
Avishai-Eliner, S., Yi, S.-J., Newth, C.J.L., Baram, T.Z., Effects of maternal and sibling deprivation on basal and stress induced hypothalamic-pituitary-adrenal components in the infant rat, 49
Azzena, G.B., see Mancinelli, R., 57

Baram, T.Z., see Avishai-Eliner, S., 49
Bast, A., see Langeveld, C.H., 13
Behnisch, T., Reymann, K.G., Thapsigargin blocks long-term potentiation induced by weak, but not strong tetanisation in rat hippocampal CA1 neurons, 185
Belfrage, M., see Bucinskaite, V., 93
Bennett, M.R., see Warren, D., 205
Benninger, F., see Uhl, F., 177
Bioulac, B., Burbaud, P., Varoqueaux, D., Activity of area 5 neurons in monkeys during arm movements: effects of dentate nucleus lesion and motor cortex ablation, 189
Birch, P.J., see Smith, G.D., 33
Boissier, L., see Condamines, O., 81
Brown III, J.C., see Liu, L., 5
Buchwald, N.A., see Cromwell, H.C., 213
Bucinskaite, V., Lundeberg, T., Stenfors, C., Belfrage, M., Hansson, P., Theodorsson, E., Changes of neuropeptide concentrations in the brain following experimentally induced mononeuropathy in Wistar Kyoto and spontaneously hypertensive rats, 93
Buée-Scherrer, V., see Condamines, O., 81
Burbaud, P., see Bioulac, B., 189
Bureau,Y.R.J., Persinger, M.A., Decreased latencies for limbic seizures induced in rats by lithium-pilocarpine occur when daily average geomagnetic activity exceeds 20 nanoTesla, 142

Carraro, S., see Villani, L., 127
Chi, J.G., see Sim, K.-B., 61
Chichery, R., see Fiorito, G., 117
Cho, B.-K., see Sim, K.-B., 61
Condamines, O., Buée-Scherrer, V., Boissier, L., Wattez, A., Delacourte, A., Pau, B., Mourton-Gilles, C., New immunoassay for the mapping of neurofibrillary degeneration in Alzheimer's disease using two monoclonal antibodies against human paired helical filament tau proteins, 81
Cromwell, H.C., Buchwald, N.A., Levine, M.S., Decortication decreases paired-pulse facilitation in the neostriatal slice of the rat, 213

Davidoff, R.A., see Mash, D.C., 53
Davolio, C., Greenamyre, J.T., Selective vulnerability of the CA1 region of hippocampus to the indirect excitotoxic effects of malonic acid, 29
De Natale, G., see Desole, M.S., 73
del Valle, M.E., see Vega, J.A., 132
Delacourte, A., see Condamines, O., 81
Demura, N., Kuroda, J., Tanaka, K.-i., Seno, N., Kanazawa, I., Effects of continual intravenous posttreatment with D-CPP-ene, a potent competitive *N*-methyl-D-aspartate receptor antagonist, on rat brain edema induced by injection of triethyltin into the cerebral hemisphere, 109
Desole, M.S., Esposito, G., Migheli, R., Fresu, L., Sircana, S., Miele, M., De Natale, G., Miele, E., Allopurinol protects against manganese-induced oxidative stress in the striatum and in the brainstem of the rat, 73
Dewar, D., see Ikeda, M., 37
Diaz-Trelles, R., see Vega, J.A., 132
Drukarch B., see Langeveld, C.H., 13

Eccleston, P.A., Funa, K., Heldin, C.-H., Neurons of the peripheral nervous system express thymidine phosphorylase, 137
Efthimiopoulos, S., see Pappolla, M.A., 105
Endo, Y., see Takei, N., 124
Esposito, G., see Desole, M.S., 73

Fadda, P., Pani, L., Porcella, A., Fratta, W., Chronic imipramine, L-sulpiride and mianserin decrease corticotropin releasing factor levels in the rat brain, 121
Favalli, L., see Montalbetti, L., 153
Fehér, E., see Lohinai, Zs., 9
Fernández-Sánchez, M.T., see Vega, J.A., 132
Feucht, M., see Uhl, F., 177
Fiorito, G., Chichery, R., Lesions of the vertical lobe impair visual discrimination learning by observation in *Octopus vulgaris*, 117
Flores, G., Rosales, M.G., Hernández, S., Sierra, A., Aceves, J., 5-Hydroxytryptamine increases spontaneous activity of subthalamic neurons in the rat, 17
Forster, H.V., see Gozal, D., 89
Fratta, W., see Fadda, P., 121
Fresu, L., see Desole, M.S., 73
Fukuda, K., see Westmark, R., 173
Funa, K., see Eccleston, P.A., 137

Georgieva, J., Heilig, M., Nylander, I., Herrera-Marschitz, M., Terenius, L., In vivo antisense inhibition of prodynorphin expression in rat striatum: dose-dependence and sequence specificity, 69
Gillardon, F., Wickert, H., Zimmermann, M., Up-regulation of *bax* and down-regulation of *bcl–2* is associated with kainate-induced apoptosis in mouse brain, 85
Goedert, M., see Huang, D.Y., 209
Golombek, D.A., Ralph, M.R., Circadian responses to light: the calmodulin connection, 101
Goux, W.J., Smith, H., Sparkman, D.R., Assembly of Alzheimer-like, insoluble filaments from brain cerebrosides, 149
Gozal, D., Ohtake, P.J., Rector, D.M., Lowry, T.F., Pan, L.G., Forster, H.V., Harper, R.M., Rostral ventral medullary surface activity during hypercapnic challenges in awake and anesthetized goats, 89
Greenamyre, J.T., see Davolio, C., 29
Grunwald, J., see Ostermann, C.-H., 21
Guarnieri, T., see Villani, L., 127

Hackman, J.C., see Mash, D.C., 53
Halonen, T., see Pitkänen, A., 65
Hansson, P., see Bucinskaite, V., 93
Haro, J.J., see Vega, J.A., 132
Harper, R.M., see Gozal, D., 89
Harrison, S.M., see Smith, G.D., 33
Heilig, M., see Georgieva, J., 69

Neuroscience Letters, 192 (1995) 218–220
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abe, K., see Ikegaya, Y., 193
Abe, T., see Tojo, H., 169
Abe, T.,. see Tohgi, H., 165
Aceves, J., see Flores,G., 17
Aihara, N., see Westmark, R., 173
Akiyama, H., see Odawara, T., 145
Avishai-Eliner, S., Yi, S.-J., Newth, C.J.L., Baram, T.Z., Effects of maternal and sibling deprivation on basal and stress induced hypothalamic-pituitary-adrenal components in the infant rat, 49
Azzena, G.B., see Mancinelli, R., 57

Baram, T.Z., see Avishai-Eliner, S., 49
Bast, A., see Langeveld, C.H., 13
Behnisch, T., Reymann, K.G., Thapsigargin blocks long-term potentiation induced by weak, but not strong tetanisation in rat hippocampal CA1 neurons, 185
Belfrage, M., see Bucinskaite, V., 93
Bennett, M.R., see Warren, D., 205
Benninger, F., see Uhl, F., 177
Bioulac, B., Burbaud, P., Varoqueaux, D., Activity of area 5 neurons in monkeys during arm movements: effects of dentate nucleus lesion and motor cortex ablation, 189
Birch, P.J., see Smith, G.D., 33
Boissier, L., see Condamines, O., 81
Brown III, J.C., see Liu, L., 5
Buchwald, N.A., see Cromwell, H.C., 213
Bucinskaite, V., Lundeberg, T., Stenfors, C., Belfrage, M., Hansson, P., Theodorsson, E., Changes of neuropeptide concentrations in the brain following experimentally induced mononeuropathy in Wistar Kyoto and spontaneously hypertensive rats, 93
Buée-Scherrer, V., see Condamines, O., 81
Burbaud, P., see Bioulac, B., 189
Bureau,Y.R.J., Persinger, M.A., Decreased latencies for limbic seizures induced in rats by lithium-pilocarpine occur when daily average geomagnetic activity exceeds 20 nanoTesla, 142

Carraro, S., see Villani, L., 127
Chi, J.G., see Sim, K.-B., 61
Chichery, R., see Fiorito, G., 117
Cho, B.-K., see Sim, K.-B., 61
Condamines, O., Buée-Scherrer, V., Boissier, L., Wattez, A., Delacourte, A., Pau, B., Mourton-Gilles, C., New immunoassay for the mapping of neurofibrillary degeneration in Alzheimer's disease using two monoclonal antibodies against human paired helical filament tau proteins, 81
Cromwell, H.C., Buchwald, N.A., Levine, M.S., Decortication decreases paired-pulse facilitation in the neostriatal slice of the rat, 213

Davidoff, R.A., see Mash, D.C., 53
Davolio, C., Greenamyre, J.T., Selective vulnerability of the CA1 region of hippocampus to the indirect excitotoxic effects of malonic acid, 29
De Natale, G., see Desole, M.S., 73
del Valle, M.E., see Vega, J.A., 132
Delacourte, A., see Condamines, O., 81
Demura, N., Kuroda, J., Tanaka, K.-i., Seno, N., Kanazawa, I., Effects of continual intravenous posttreatment with D-CPP-ene, a potent competitive *N*-methyl-D-aspartate receptor antagonist, on rat brain edema induced by injection of triethyltin into the cerebral hemisphere, 109
Desole, M.S., Esposito, G., Migheli, R., Fresu, L., Sircana, S., Miele, M., De Natale, G., Miele, E., Allopurinol protects against manganese-induced oxidative stress in the striatum and in the brainstem of the rat, 73
Dewar, D., see Ikeda, M., 37
Diaz-Trelles, R., see Vega, J.A., 132
Drukarch B., see Langeveld, C.H., 13

Eccleston, P.A., Funa, K., Heldin, C.-H., Neurons of the peripheral nervous system express thymidine phosphorylase, 137
Efthimiopoulos, S., see Pappolla, M.A., 105
Endo, Y., see Takei, N., 124
Esposito, G., see Desole, M.S., 73

Fadda, P., Pani, L., Porcella, A., Fratta, W., Chronic imipramine, L-sulpiride and mianserin decrease corticotropin releasing factor levels in the rat brain, 121
Favalli, L., see Montalbetti, L., 153
Fehér, E., see Lohinai, Zs., 9
Fernández-Sánchez, M.T., see Vega, J.A., 132
Feucht, M., see Uhl, F., 177
Fiorito, G., Chichery, R., Lesions of the vertical lobe impair visual discrimination learning by observation in *Octopus vulgaris*, 117
Flores, G., Rosales, M.G., Hernández, S., Sierra, A., Aceves, J., 5-Hydroxytryptamine increases spontaneous activity of subthalamic neurons in the rat, 17
Forster, H.V., see Gozal, D., 89
Fratta, W., see Fadda, P., 121
Fresu, L., see Desole, M.S., 73
Fukuda, K., see Westmark, R., 173
Funa, K., see Eccleston, P.A., 137

Georgieva, J., Heilig, M., Nylander, I., Herrera-Marschitz, M., Terenius, L., In vivo antisense inhibition of prodynorphin expression in rat striatum: dose-dependence and sequence specificity, 69
Gillardon, F., Wickert, H., Zimmermann, M., Up-regulation of *bax* and down-regulation of *bcl–2* is associated with kainate-induced apoptosis in mouse brain, 85
Goedert, M., see Huang, D.Y., 209
Golombek, D.A., Ralph, M.R., Circadian responses to light: the calmodulin connection, 101
Goux, W.J., Smith, H., Sparkman, D.R., Assembly of Alzheimer-like, insoluble filaments from brain cerebrosides, 149
Gozal, D., Ohtake, P.J., Rector, D.M., Lowry, T.F., Pan, L.G., Forster, H.V., Harper, R.M., Rostral ventral medullary surface activity during hypercapnic challenges in awake and anesthetized goats, 89
Greenamyre, J.T., see Davolio, C., 29
Grunwald, J., see Ostermann, C.-H., 21
Guarnieri, T., see Villani, L., 127

Hackman, J.C., see Mash, D.C., 53
Halonen, T., see Pitkänen, A., 65
Hansson, P., see Bucinskaite, V., 93
Haro, J.J., see Vega, J.A., 132
Harper, R.M., see Gozal, D., 89
Harrison, S.M., see Smith, G.D., 33
Heilig, M., see Georgieva, J., 69

Heldin, C.-H., see Eccleston, P.A., 137
Hernández, S., see Flores,G., 17
Herrera-Marschitz, M., see Georgieva, J., 69
Holohean, A.M., see Mash, D.C., 53
Hoshiyama, M., see Kakigi, R., 45
Huang, D.Y., Weisgraber, K.H., Goedert, M., Saunders, A.M., Roses, A.D., Strittmatter, W.J., ApoE3 binding to tau tandem repeat I is abolished by tau serine$_{262}$ phosphorylation, 209

Igarashi, K., see Tojo, H., 169
Ikeda, K., see Odawara, T., 145
Ikeda, M., Dewar, D., McCulloch, J., Galanin receptor binding sites in the temporal and occipital cortex are minimally affected in Alzheimer's disease, 37
Ikegaya, Y., Saito, H., Abe, K., Amygdala *N*-methyl-D-aspartate receptors participate in the induction of long-term potentiation in the dentate gyrus in vivo, 193
Ikeuchi, Y., Nishizaki, T., Methylcobalamin induces a long-lasting enhancement of the postsynaptic field potential in hippocampal slices of the guinea pig, 113
Iseki, E., see Odawara, T., 145

Jongenelen, C.A.M., see Langeveld, C.H., 13

Kabasawa, H., see Ooka-Souda, S., 201
Kadota, T., see Ooka-Souda, S., 201
Kaisho, Y., see Tojo, H., 169
Kakigi, R., Koyama, S., Hoshiyama, M., Kitamura, Y., Shimojo, M., Watanabe S., Pain-related magnetic fields following painful CO_2 laser stimulation in man, 45
Kanazawa, I., see Demura, N., 109
Kemmotsu, O., see Numazawa, R., 161
Kitamura, Y., see Kakigi, R., 45
Kosaka, K., see Odawara, T., 145
Koyama, S., see Kakigi, R., 45
Kuroda, J., see Demura, N., 109

Langeveld, C.H., Jongenelen, C.A.M., Schepens, E., Stoof, J.C., Bast, A., Drukarch B., Cultured rat striatal and cortical astrocytes protect mesencephalic dopaminergic neurons against hydrogen peroxide toxicity independent of their effect on neuronal development, 13
Lanza, E., see Montalbetti, L., 153
Lavidis, N.A., see Warren, D., 205
Leem, J.W., Park, E.S., Paik, K.S., Electrophysiological evidence for the antinociceptive effect of transcutaneous electrical stimulation on mechanically evoked responsiveness of dorsal horn neurons in neuropathic rats, 197
Levine, M.S., see Cromwell, H.C., 213
Liu, L., Brown III, J.C., Webster, W.W., Morrisett, R.A., Monaghan, D.T., Insulin potentiates *N*-methyl-D-aspartate receptor activity in *Xenopus* oocytes and rat hippocampus, 5
Lohinai, Zs., Székely, A.D., Soós, L., Fehér, E., Distribution of nitric oxide synthase containing elements in the feline submandibular gland, 9
Lorke, D.E., see Ostermann, C.-H., 21
Lowry, T.F., see Gozal, D., 89
Lundeberg, T., see Bucinskaite, V., 93

MacLean, J.N., see Magnuson, D.S.K., 97
Maelicke, A., see Ostermann, C.-H., 21
Magnuson, D.S.K., Schramm, M.J., MacLean, J.N., Long-duration, frequency-dependent motor responses evoked by ventrolateral funiculus stimulation in the neonatal rat spinal cord, 97
Mancinelli, R., Tonali, P., Servidei, S., Azzena, G.B., Analysis of peristaltic reflex in young mdx dystrophic mice, 57
Mash, D.C., Staley, J.K., Pablo, J.P., Holohean, A.M., Hackman, J.C., Davidoff, R.A., Properties of ibogaine and its principal metabolite (12-hydroxyibogamine) at the MK-801 binding site of the NMDA receptor complex, 53
Matsumoto, M., see Numazawa, R., 161
Mayer, G., see Uchiyama, M., 1
McCulloch, J., see Ikeda, M., 37
McKenzie, A.L., see Westmark, R., 173
Meier-Ewert, K.,see Uchiyama, M., 1
Miele, E., see Desole, M.S., 73
Miele, M., see Desole, M.S., 73
Migheli, R., see Desole, M.S., 73
Mikami, A., Visual neurons with higher selectivity can retain memory in the monkey temporal cortex, 157
Miller, S.M., see Sha, L., 77
Monaghan, D.T., see Liu, L., 5
Montalbetti, L., Rozza, A., Rizzo, V., Favalli, L., Scavini, C., Lanza, E., Savoldi, F., Racagni, G., Scelsi, R., Aminoacid recovery via microdialysis and photoinduced focal cerebral ischemia in brain cortex of rats, 153
Morrisett, R.A., see Liu, L., 5
Mourton-Gilles, C., see Condamines, O., 81

Nakata, M., see Tojo, H., 169
Naves, F.J., see Vega, J.A., 132
Newth, C.J.L., see Avishai-Eliner, S., 49
Nishizaki, T., see Ikeuchi, Y., 113
Noble, L.J., see Westmark, R., 173
Numazawa, R., Yoshioka, M., Matsumoto, M., Togashi, H., Kemmotsu, O., Saito, H., Pharmacological characterization of α_2-adrenoceptor regulated serotonin release in the rat hippocampus, 161
Nylander, I., see Georgieva, J., 69

Odawara, T., Iseki, E., Kosaka, K., Akiyama, H., Ikeda, K., Yamamoto, T., Investigation of tau-2 positive microglia-like cells in the subcortical nuclei of human neurodegenerative disorders, 145
Ogaki, H., see Takei, N., 124
Ohtake, P.J., see Gozal, D., 89
Okawa, M., see Uchiyama, M., 1
Omar, R.A., see Pappolla, M.A., 105
Ono, M., see Watanabe, A., 25
Ooka-Souda, S., Kadota, T., Kabasawa, H., Takeuchi, H.-a., A possible retinal information route to the circadian pacemaker through pretectal areas in the hagfish, *Eptatretus burgeri*, 201
Ostermann, C.-H., Grunwald, J., Wevers, A., Lorke, D.E., Reinhardt, S., Maelicke, A., Schröder, H., Cellular expression of α4 subunit mRNA of the nicotinic acetylcholine receptor in the developing rat telencephalon, 21

Pablo, J.P., see Mash, D.C., 53
Paik, K.S., see Leem, J.W., 197
Pan, L.G., see Gozal, D., 89
Pani, L., see Fadda, P., 121
Pappolla, M.A., Sambamurti, K., Efthimiopoulos, S., Refolo, L., Omar, R.A., Robakis, N.K., Heat-shock induces abnormalities in the cellular distribution of amyloid precursor protein (APP) and APP fusion proteins, 105

Park, E.S., see Leem, J.W., 197
Pau, B., see Condamines, O., 81
Persinger, M.A., see Bureau,Y.R.J., 142
Pitkänen, A., Tuunanen, J., Halonen, T., Subiculum, presubiculum and parasubiculum have different sensitivities to seizure-induced neuronal damage in the rat, 65
Porcella, A., see Fadda, P., 121

Racagni, G., see Montalbetti, L., 153
Ralph, M.R., see Golombek, D.A., 101
Rector, D.M., see Gozal, D., 89
Refolo, L., see Pappolla, M.A., 105
Reinhardt, S., see Ostermann, C.-H., 21
Reymann, K.G., see Behnisch, T., 185
Rizzo, V., see Montalbetti, L., 153
Robakis, N.K., see Pappolla, M.A., 105
Rosales, M.G., see Flores,G., 17
Roses, A.D., see Huang, D.Y., 209
Rozza, A., see Montalbetti, L., 153

Sagen, J., Wang, H., Adrenal medullary grafts suppress c-*fos* induction in spinal neurons of arthritic rats, 181
Saheki, M., see Tohgi, H., 165
Saito, H., see Ikegaya, Y., 193
Saito, H., see Numazawa, R., 161
Sambamurti, K., see Pappolla, M.A., 105
Saunders, A.M., see Huang, D.Y., 209
Savoldi, F., see Montalbetti, L., 153
Scavini, C., see Montalbetti, L., 153
Scelsi, R., see Montalbetti, L., 153
Schepens, E., see Langeveld, C.H., 13
Schramm, M.J., see Magnuson, D.S.K., 97
Schröder, H., see Ostermann, C.-H., 21
Seno, N., see Demura, N., 109
Servidei, S., see Mancinelli, R., 57
Sha, L., Miller, S.M., Szurszewski, J.H., Nitric oxide is a neuromodulator in cat pancreatic ganglia: histochemical and electrophysiological study, 77
Shibata, S., see Watanabe, A., 25
Shiho, O., see Tojo, H., 169
Shimojo, M., see Kakigi, R., 45
Sierra, A., see Flores,G., 17
Sim, K.-B., Cho, B.-K., Chi, J.G., Wang, K.-C., Morphological study of surgically induced open neural tube defect in old (14 and 21 days) chick embryos, 61
Sircana, S., see Desole, M.S., 73
Smith, G.D., Harrison, S.M., Birch, P.J., Peri-administration of clonidine or MK801 delays but does not prevent the development of mechanical hyperalgesia in a model of mononeuropathy in the rat, 33
Smith, H., see Goux, W.J., 149
Soós, L., see Lohinai, Zs., 9
Sparkman, D.R., see Goux, W.J., 149
Spoljaric, A.M., see Uhl, F., 177
Staley, J.K., see Mash, D.C., 53
Stenfors, C., see Bucinskaite, V., 93
Stoof, J.C., see Langeveld, C.H., 13
Strittmatter, W.J., see Huang, D.Y., 209
Székely, A.D., see Lohinai, Zs., 9
Szurszewski, J.H., see Sha, L., 77

Takahashi, S., see Tohgi, H., 165
Takami, K., see Tojo, H., 169
Takei, N., Ogaki, H., Endo, Y., Basic fibroblast growth factor inhibited Ca^{2+} ionophore-induced apoptotic cell death of cultured cortical neurons from embryonic rats, 124
Takeuchi, H.-a., see Ooka-Souda, S., 201
Tanaka, K.-i., see Demura, N., 109
Terenius, L., see Georgieva, J., 69
Theodorsson, E., see Bucinskaite, V., 93
Togashi, H., see Numazawa, R., 161
Tohgi, H., Abe, T.,. Yamazaki, K, Saheki, M., Takahashi, S., Tsukamoto, Y., Effects of the catechol-*O*-methyltransferase inhibitor tolcapone in Parkinson's disease: correlations between concentrations of dopaminergic substances in the plasma and cerebrospinal fluid and clinical improvement, 165
Tojo, H., Takami, K., Kaisho, Y., Nakata, M., Abe, T., Shiho, O., Igarashi, K., Neurotrophin-3 is expressed in the posterior lobe of mouse cerebellum, but does not affect the cerebellar development, 169
Tonali, P., see Mancinelli, R., 57
Tsukamoto, Y., see Tohgi, H., 165
Tuunanen, J., see Pitkänen, A., 65

Uchiyama, M., Mayer, G., Okawa, M., Meier-Ewert, K., Effects of vitamin B12 on human circadian body temperature rhythm, 1
Uhl, F., Spoljaric, A.M., Feucht, M., Benninger, F., Slow potential shifts preceding human focal paroxysmal discharges, as represented by spikes of benign rolandic epilepsy of childhood, 177

Varoqueaux, D., see Bioulac, B., 189
Vega, J.A., Diaz-Trelles, R., Haro, J.J., del Valle, M.E., Naves, F.J., Fernández-Sánchez, M.T., β-Amyloid precursor protein in human digital skin, 132
Villani, L., Carraro, S., Guarnieri, T., 6,7-Dinitroquinoxaline-2,3-dione but not MK-801 exerts a protective effect against kainic acid neurotoxicity in the goldfish retina, 127

Wang, H., see Sagen, J., 181
Wang, K.-C., see Sim, K.-B., 61
Warren, D., Lavidis, N.A., Bennett, M.R., Quantal secretion recorded from visualized boutons, 205
Watanabe S., see Kakigi, R., 45
Watanabe, A., Ono, M., Shibata, S., Watanabe, S., Effect of a nitric oxide synthase inhibitor, *N*-nitro-L-arginine methylester, on light-induced phase delay of circadian rhythm of wheel-running activity in golden hamsters, 25
Watanabe, S., see Watanabe, A., 25
Wattez, A., see Condamines, O., 81
Webster, W.W., see Liu, L., 5
Weisgraber, K.H., see Huang, D.Y., 209
Westmark, R., Noble, L.J., Fukuda, K., Aihara, N., McKenzie, A.L., Intrathecal administration of endothelin-1 in the rat: impact on spinal cord blood flow and the blood-spinal cord barrier, 173
Wevers, A., see Ostermann, C.-H., 21
Wickert, H., see Gillardon, F., 85
Wood, J.N., Regulation of NF-κB activity in rat dorsal root ganglia and PC12 cells by tumour necrosis factor and nerve growth factor, 41

Yamamoto, T., see Odawara, T., 145
Yamazaki, K, see Tohgi, H., 165
Yi, S.-J., see Avishai-Eliner, S., 49
Yoshioka, M., see Numazawa, R., 161

Zimmermann, M., see Gillardon, F., 85